

Leave the Slass To us





Jay Khodiyar Toughened Glass Pvt. Ltd.

Jk tuff is made as per the customer requirements, Process starts from cutting as per size then Grinding/Polishing & fabrication of edges comes in effect. The glass comes to the washing machine for cleaning of glass sludge removal and finally the glass loaded into a furnace that has a bed with oscillating rollers. The glass is heated at around 700°C under the supervision of smart computer control by PLC. The glass is moved into the quench area where it comes forced cooling by a series of high pressure air nozzles. This rapid cooling or quenching induces high stress on the glass surface, while the center remains in tension with minor changes. Although the physical characteristics remain unchanged, the additional stresses created within the glass increase its thermal and mechanical strength by 80% comparing to raw glass.



We have one of the largest toughening plant in Gujarat having capacity of producing the maximum Glass size of 2440mm X 4270mm with a range of thickness from 4mm to 25mm and has facility to perform process for high profile glasses of KT/ST series.

JK Toughened Glass is 4-5 times mechanically stronger than annealed glass and is about three times more resistant to rapid temperature changes compared to ordinary glass. When broken, it shatters into small cubical fragments rather than irregular shards of glass and therefore is less likely to cause serious injuries. It withstands temperatures of up to 300°C.

APPLICATION OF JK TOUGHENED GLASS

- Shop fronts
- Stair and escalator side panels
- Glass elevators
- Frameless doors & windows
- Furniture (table tops, shelves, Showcase, Partitions etc.
- Structural Glass





Cutting Machine



Glass Straight Line Automatic Edging Machine





Washing Machine



Automatic Loader Machine



Drill Machine







Tools, Drill & Wheel


























Registered Office:

Branch Office:

Opp. Green Valley, Jaspur - Kalol Road, Palsana, Ta. : Kalol, Di. : Gandhinagar Pincode : 382721 5,sahjanand Complex, Nr. Helmet Circle 132' Ring Road,Ahmedabad

Contact Number : +91 2764 284301/02 | Fax : +91 2764 284303 Email : jktough2012@gmail.com Web : www.jaykhodiyarglass.com